

Historic, archived document

Do not assume content reflects current
scientific knowledge, policies, or practices.

UNITED STATES DEPARTMENT OF AGRICULTURE
Bureau of Agricultural Economics.
Tobacco Section.

T O B A C C O S T O C K S R E P O R T

LEAF TOBACCO HELD BY MANUFACTURERS AND DEALERS JANUARY 1, 1932.

Washington, D. C.
February 10, 1931.

EXPLANATION OF GROUP SYMBOLS

GROUPS OF TYPES 11, 12, 13 and 14:

A-Wrappers
B-Heavy Leaf, Cutting Leaf,
and Fillers
C-Thin Leaf or Cutters
X-Lugs and Ground Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 21, 22, 23 and 24:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 31:

A-Wrappers
B-Leaf or Fillers and Tips
C-Lugs, or Cutters
X-Trash, Flyings and Spods
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 32:

B-Heavy Leaf, locally known as
Dull Crop
C-Thin Leaf, locally known as
Bright Crop
X-Seconds and Ground Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 35, 36 and 37:

A-Wrappers
B-Heavy Leaf
C-Thin Leaf
X-Lugs
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 41

B-Binders or Tops
C-Fillers, locally known as
Wrappers or B's.
X-Stemming, Farm Fillers, Ground
Leaves, and crops unsuitable
for sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 42, 43 and 44:

C-Fillers, locally known as Wrappers
X-Stemming, Farm Fillers, Ground
Leaves and crops unsuitable for
sorting.
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 45:

C-Fillers
X-Stemming, Ground Leaves, and crops
unsuitable for sorting
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPE 46:

C-Tripas or Fillers
X-Resagos, Terceros, Boliches, and
crops unsuitable for sorting.
S-Scrap (Picadura), as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 51, 52 and 53:

A-Wrappers
B-Binders, locally known as Seconds
C-Fillers, locally known as Tips or
B's
X-Stemming, Sand-Leaf Fillers,
Ground Leaves, and crops unsuitable
for sorting
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 54 and 55:

B-Binders
C-Fillers, locally known as Tips or
B's
X-Stemming, Sand-Leaf Fillers,
Bottom Leaves, and crops unsuitable
for sorting
S-Scrap, as defined*
N-Nondescript, as defined*

GROUPS OF TYPES 61 and 62:

A-Wrappers
B-Binders
C-Fillers, or Tips
X-Trashy Fillers or Loose Leaves
S-Scrap, as defined*
N-Nondescript, as defined*

* For definitions of Scrap and Nondescript see Service and Regulatory
Announcement No. 118, a copy of which will be sent upon request.

TOBACCO STOCKS
SUPPLEMENTAL REPORT BY GROUPS OF GRADES
JANUARY 1, 1932

U. S. TYPE 11.--OLD BELT FLUE-CURED VIRGINIA AND NORTH CAROLINA.

Group	NEW CROP		OLD CROP		January 1	October 1
	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Unstemmed : 1000 lbs.	Stemmed : 1000 lbs.	Group Totals : 1000 lbs.	Group Totals : 1000 lbs.
A	6,280	-	852	-	7,132	6,487
B	85,692	5,578	1,602	647	93,519	79,673
C	83,279	4,850	2,252	568	90,949	75,222
X	136,875	24,423	3,686	172	165,156	105,115
S	9,711	85	158	140	10,094	4,211
N	297	-	4	-	301	188
Total	322,134	34,936	8,554	1,527	367,151	270,896

U. S. TYPE 12.--EASTERN NORTH CAROLINA FLUE-CURED.

A	1,223	-	-	-	1,223	129
B	68,506	1,924	395	20	70,845	45,830
C	90,800	6,195	4,006	469	101,470	78,504
X	104,638	20,139	685	1	125,463	102,345
S	6,969	241	49	-	7,259	4,531
N	726	-	-	-	726	161
Total	272,862	28,499	5,135	490	306,986	231,500

U. S. TYPE 13.--SOUTH CAROLINA FLUE-CURED (INCLUDING SOUTHEASTERN N.C.)

A	792	-	-	-	792	813
B	26,228	516	61	37	26,842	28,242
C	43,098	1,404	316	431	45,249	48,975
X	52,095	13,015	446	1	65,557	65,023
S	4,099	386	2	30	4,517	3,038
N	223	-	-	-	223	230
Total	126,535	15,321	825	499	143,180	146,321

U. S. TYPE 14.--GEORGIA AND FLORIDA FLUE-CURED

A	56	1	3	-	60	46
B	11,657	4,928	18	308	16,911	22,713
C	6,996	33,705	5	272	40,978	46,006
X	8,721	8,497	196	-	17,414	21,220
S	327	-	2	-	329	577
N	89	-	-	-	89	77
Total	27,846	47,131	224	580	75,781	90,639

(Figures rounded to nearest thousand pounds)

U. S. TYPE 21.-VIRGINIA FIRE-CURED.

Group	NEW CROP		OLD CROP		January 1	October 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	529	-	78	-	607	675
B	3,394	185	3,487	-	7,066	6,849
C	1,686	73	58	-	1,817	1,547
X	16,755	320	3,411	17	20,503	19,117
S	272	-	25	-	297	338
N	62	-	-	-	62	81
Total	22,698	578	7,059	17	30,352	28,607

U. S. TYPE 22.-TENNESSEE AND KENTUCKY FIRE-CURED (EASTERN DISTRICT C H & S)

A	2,150	-	54	-	2,204	3,462
B	59,275	244	638	1	60,158	69,172
C	4,735	1	67	-	4,803	6,007
X	14,891	-	84	1	14,976	21,694
S	803	27	18	-	848	1,157
N	572	-	-	-	572	629
Total	82,426	272	861	2	83,561	102,121

U. S. TYPE 23.-KENTUCKY AND TENNESSEE FIRE-CURED (WESTERN DISTRICT M & P)

A	325	-	-	-	325	360
B	16,244	288	143	3	16,678	17,978
C	2,699	-	-	-	2,699	3,799
X	8,293	3	19	-	8,315	4,660
S	274	2	2	-	278	285
N	-	-	-	-	-	146
Total	27,835	293	164	3	28,295	27,228

U. S. TYPE 24.-HENDERSON STEMMING OR NORTHERN FIRE-CURED

A	11	40	-	-	51	172
B	579	356	-	-	935	1,378
C	97	-	-	-	97	143
X	1,606	42	2	-	1,650	865
S	434	-	-	-	434	528
N	16	-	-	-	16	16
Total	2,743	438	2	-	3,183	3,102

(Figures rounded to nearest thousand pounds)

U. S. TYPE 31.--BURLLEY

Group	NEW CROP		OLD CROP		January 1	October 1
	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Unstemmed 1000 lbs.	Stemmed 1000 lbs.	Group Totals 1000 lbs.	Group Totals 1000 lbs.
A	1,111	1	6	-	1,118	1,309
B	219,104	32,416	331	1,140	252,991	224,098
C	128,566	9,229	407	768	138,970	127,236
X	73,694	6,207	444	1,648	86,993	75,561
S	7,470	675	123	4	8,272	7,018
N	2,268	-	2	-	2,270	1,580
Total	437,213	48,523	1,313	3,560	490,614	436,802

U. S. TYPE 32.--SOUTHERN MARYLAND

B	6,333	-	-	-	6,333	5,830
C	11,477	911	1	-	12,389	14,429
X	1,985	24	3	2	2,014	1,628
S	34	-	-	-	34	26
N	228	-	-	-	228	196
Total	20,057	935	4	2	20,993	22,109

U. S. TYPE 35.--ONE SUCKER

A	1,502	-	-	-	1,502	1,299
B	13,048	1	3	1	13,053	13,964
C	7,733	-	52	-	7,785	8,297
X	8,167	105	5	-	8,277	7,826
S	556	35	-	-	591	485
N	472	-	-	-	472	453
Total	31,478	141	60	1	31,680	32,324

U. S. TYPE 36.--GREEN RIVER

A	492	-	-	-	492	332
B	11,487	587	517	66	12,657	10,396
C	869	10	327	-	1,215	1,415
X	11,441	205	111	9	11,766	11,192
S	777	32	5	2	816	899
N	7	-	-	-	7	8
Total	25,073	843	960	77	26,953	24,242

U. S. TYPE 37.--VIRGINIA SUN-CURED

A	213	-	-	-	213	226
B	464	36	25	51	576	675
C	351	-	26	5	382	643
X	395	1,400	115	55	1,965	1,864
S	38	-	-	-	38	47
Total	1,461	1,436	166	111	3,174	3,455

(Figures rounded to nearest thousand pounds)

U. S. TYPE 41.-PENNSYLVANIA SEEDLEAF.

Group	NEW CROP		OLD CROP		January 1	October 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
B	8,666	1,034	5	2	9,707	14,186
C	38,253	2,330	2,108	117	42,508	46,316
X	8,481	5,027	11	90	13,609	13,507
S	4	174	1	6	185	191
N	-	1	-	-	1	-
Total	55,404	8,566	2,125	215	66,310	74,200

U. S. TYPE 42.-GEBHARDT, MIAMI VALLEY

C	14,974	603	705	111	16,394	16,549
X	1,760	302	23	-	2,085	2,850
S	7	21	-	1	29	29
N	-	-	-	-	-	2
Total	16,741	926	729	112	18,508	19,430

U. S. TYPE 43.-ZIMMER, MIAMI VALLEY

C	15,978	623	1,255	270	18,127	20,936
X	3,282	350	-	-	3,632	3,991
S	5	17	15	-	37	30
N	-	-	-	-	-	1
Total	19,265	990	1,271	270	21,796	24,958

U. S. TYPE 44.-DUTCH, MIAMI VALLEY

C	6,910	82	284	5	7,281	8,415
X	921	-	-	-	921	1,352
S	24	42	-	-	66	31
N	-	-	-	-	-	-
Total	7,855	124	284	5	8,268	9,798

U. S. TYPE 45.-GEORGIA AND FLORIDA SUN-GROWN

C	1,032	1,053	-	-	2,085	2,409
X	4	-	-	-	4	-
S	-	8	-	-	8	10
N	-	-	-	-	-	-
Total	1,036	1,061	-	-	2,097	2,419

U. S. TYPE 46.-PORTO RICAN SUN-GROWN

C	102	19,984	77	1	20,164	18,171
X	1,988	2,749	-	-	4,737	3,282
S	52	1,459	-	1	1,512	1,391
N	1	1	-	-	2	2
Total	2,143	24,193	77	2	26,415	23,546

(Figures rounded to nearest thousand pounds)

U. S. TYPE 51.--CONNECTICUT VALLEY BROADLEAF

Group	NEW CROP		OLD CROP		January 1	October 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	1,924	31	171	20	2,146	3,372
B	18,330	85	909	2	19,326	18,945
C	1,066	45	83	-	1,194	1,542
X	3,805	2,966	-	-	6,771	6,069
S	1	62	1	-	64	40
N	-	-	-	-	-	1
Total	25,126	3,189	1,164	22	29,501	29,969

U. S. TYPE 52.--CONNECTICUT VALLEY HAVANA SEED

A	1,850	-	50	-	1,900	1,742
B	22,342	39	949	1	23,331	24,188
C	993	65	-	-	1,058	1,506
X	3,942	3,291	-	319	7,552	5,997
S	-	8	-	-	8	9
N	-	-	-	-	-	-
Total	29,127	3,403	999	320	33,849	33,442

U. S. TYPE 53.--NEW YORK AND PENNSYLVANIA HAVANA SEED

A	314	1	42	1	358	119
B	-	-	-	-	-	292
C	183	10	1	-	194	233
X	2,208	87	-	-	2,295	2,373
S	1	16	-	-	17	17
Total	2,706	114	43	1	2,864	3,034

U. S. TYPE 54.--SOUTHERN WISCONSIN

B	9,968	13	908	108	10,997	12,653
C	3,788	158	1	1	3,948	4,226
X	31,061	9,129	-	5	40,195	43,644
S	14	72	-	-	86	53
Total	44,831	9,372	909	114	55,226	60,586

U. S. TYPE 55.--NORTHERN WISCONSIN

B	18,353	140	1,312	4	19,809	20,755
C	3,377	441	11	-	3,829	4,985
X	14,937	2,118	-	-	17,055	18,776
S	31	13	-	-	44	43
N	1	-	-	-	1	24
Total	36,699	2,712	1,323	4	40,738	44,583

(Figures rounded to nearest thousand pounds)

U. S. TYPE 61.--CONNECTICUT VALLEY SHADE

Group	NEW CROP		OLD CROP		January 1	October 1
	Unstemmed	Stemmed	Unstemmed	Stemmed	Group Totals	Group Totals
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.
A	7,296	15	102	-	7,415	6,034
B	2,706	91	6	-	2,803	3,824
C	292	47	50	-	389	695
X	180	32	-	-	212	254
S	7	82	-	-	89	56
N	-	-	-	-	-	-
Total	10,483	267	158	-	10,908	10,863

U. S. TYPE 62.--GEORGIA AND FLORIDA SHADE

A	3,901	-	13	-	3,914	4,056
B	602	13	-	-	705	924
C	133	1	-	-	134	155
X	52	-	-	-	52	61
S	17	3	-	-	20	1
N	-	-	-	-	-	-
Total	4,795	17	13	-	4,825	5,197

U. S. TYPE 70.--MISCELLANEOUS DOMESTIC

No Groups:	2,196	547	47	74	2,864	2,573
------------	-------	-----	----	----	-------	-------

U. S. TYPE 80.--FOREIGN-GROWN CIGAR LEAF TOBACCO

No Groups:	6,230	7,301	635	17	14,183	14,426
------------	-------	-------	-----	----	--------	--------

U. S. TYPE 90.--FOREIGN-GROWN TOBACCO OTHER THAN CIGAR LEAF

No Groups:	55,549	134	5,837	-	62,520	62,727
------------	--------	-----	-------	---	--------	--------

GRAND TOTAL ALL TYPES

	NEW CROP		OLD CROP		Grand Total
	Unstemmed	Stemmed	Unstemmed	Stemmed	
	1000 lbs.	1000 lbs.	1000 lbs.	1000 lbs.	
January 1, 1932:	1,721,547	242,267	40,241	8,025	2,012,780
October 1, 1931:	1,573,071	237,655	21,480	3,391	1,841,097

(Figures rounded to nearest thousand pounds)

(Figures are in thousands of pounds)

TYPE NAME	U.S.:		NEW CROPS		OLD CROPS		TOTAL		O F		T Y P E	
	No.:	UNSTEMMED	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:	1000 lbs.:
Old Belt Flue-cured Va. & N. C.	11:	322,134	34,936	8,554	1,527	367,151	270,896	351,882	238,453	197,006	140,635	111,675
Eastern N. C. Flue-cured	12:	272,862	28,499	5,135	490	306,986	231,500*	279,932	19,467	736	135,710	373,032
South Carolina Flue-cured (in- cluding Southeastern N.C.)	13:	126,535	15,321	825	499	143,180	146,321	139,204	98,165	687,769	27,917	87,589
Ga. and Florida Flue-cured	14:	27,846	47,131	224	580	75,781	90,639	98,165	11,675	140,635	111,675	687,769
Total Flue-cured	--:	749,377	125,887	14,738	3,096	893,098	739,356*	868,983	33,392	79,263	21,288	3,788
Virginia Fire-cured	21:	22,698	578	7,059	17	30,352	28,607*	33,392	79,263	21,288	3,788	736
Tenn. and Ky. Fire-cured (Eastern District C.E. and S.)	22:	82,426	272	861	2	83,561	102,121*	79,263	21,288	3,788	736	135,710
Ky. and Tenn. Fire-cured (Western District M. and P.)	23:	27,835	293	164	3	28,295	27,228	21,288	3,788	736	135,710	373,032
Henderson Stemming or Northern Fire-cured	24:	2,743	438	2	-	3,183	3,102	3,788	736	135,710	373,032	17,167
Total Fire-cured	--:	135,702	1,581	8,086	22	145,391	161,058*	137,731	407,557	17,167	390,200	25,123
Burley	31:	437,213	48,528	1,313	3,560	490,614	436,802	407,557	17,167	390,200	25,123	23,786
Southern Maryland	32:	20,057	935	4	2	20,998	22,109*	17,038	3,855	1,874	52,787	79,592
Total Light Air-cured	--:	457,270	49,463	1,317	3,562	511,612	458,911*	424,595	29,180	27,369	3,855	1,874
One Sucker	35:	31,478	141	60	1	31,680	32,324	29,180	27,369	3,855	1,874	52,787
Green River	36:	25,073	843	960	77	26,953	24,242	27,369	3,855	1,874	52,787	79,592
Va. Sun-cured	37:	1,461	1,436	166	111	3,174	3,455	3,855	1,874	52,787	79,592	12,395
Total Dark Air-cured	--:	58,012	2,420	1,186	189	61,807	60,021	60,404	27,284	23,510	141,874	24,809
Pennsylvania Seedleaf	41:	55,404	8,566	2,125	215	66,310	74,200*	68,790	10,490	12,395	17,766	6,266
Gebhardt (Ohio-Miami Valley)	42:	16,741	926	729	112	18,508	19,430	10,490	12,395	17,766	6,266	2,345
Zimmer (Ohio-Miami Valley)	43:	19,265	990	1,271	270	21,796	24,958	14,827	5,185	2,033	23,510	141,874
Dutch (Ohio-Miami Valley)	44:	7,555	124	284	5	8,268	9,798*	5,185	2,033	23,510	141,874	24,809
Ga. and Fla. Sun-grown	45:	1,036	1,061	-	-	2,097	2,419	2,033	23,510	141,874	24,809	32,898
Porto Rican Sun-grown	46:	2,143	24,193	77	2	26,415	23,546*	27,284	23,510	141,874	24,809	32,898
Total Cigar-Filler Types	--:	102,444	35,860	4,486	604	143,394	154,351*	128,609	23,438	32,898	2,166	51,143
Conn. Valley Broadleaf	51:	25,126	3,189	1,164	22	29,501	29,969*	23,438	32,898	2,166	51,143	34,131
Conn. Valley Havana Seed	52:	29,127	3,403	999	320	33,849	33,442*	32,898	2,166	51,143	34,131	145,147
N. Y. and Pa. Havana Seed	53:	2,706	114	43	1	2,864	3,034	2,837	2,166	51,143	34,131	145,147
Southern Wisconsin	54:	44,831	9,372	909	114	55,226	60,586	44,572	28,719	132,305	11,771	10,162
Northern Wisconsin	55:	36,699	2,712	1,323	4	40,738	44,583	28,719	132,305	11,771	10,162	5,921
Total Cigar Binder Types	--:	138,489	18,790	4,438	461	162,178	171,614*	132,305	16,936	16,083	2,918	14,521
Conn. Valley Shade	61:	10,483	267	158	-	10,908	10,863*	11,771	5,165	5,921	16,083	2,918
Ga. and Fla. Shade	62:	4,795	17	13	-	4,825	5,197*	5,165	16,936	2,918	14,521	61,993
Total Shade-grown	--:	15,278	284	171	-	15,733	16,060*	16,936	2,918	14,521	61,993	1,649,000
Miscellaneous Domestic	70:	2,196	547	47	74	2,864	2,573*	2,723	13,689	67,501	1,853,476	1,649,000
Foreign cigar leaf	80:	6,230	7,301	635	17	14,183	14,226*	13,689	67,501	1,853,476	1,649,000	1,649,000
Foreign other than cigar leaf	90:	56,549	134	5,817	-	62,520	62,727*	67,501	1,853,476	1,649,000	1,649,000	1,649,000
TOTAL ALL TYPES	--:	1,721,547	242,267	40,941	8,025	2,012,780	2,012,780	1,853,476	1,649,000	1,649,000	1,649,000	1,649,000

These statistics represent the quantity of leaf tobacco reported as owned by all leaf tobacco dealers, manufacturers, growers' cooperative associations, warehousemen, brokers, holders, and owners, except (a) the original growers of tobacco (b) manufacturers who in 1931, according to the returns of the Commissioner of Internal Revenue, manufactured less than 50,000 pounds of tobacco, less than 250,000 cigars, or less than 1,000,000 cigarettes, or (c) dealers who, on the average had less than 50,000 pounds of leaf tobacco in stock at the ends of the four quarters of 1931, pursuant to the provisions of the Tobacco Stocks and Standards Act, approved January 14, 1929.

* Corrections in October 1, 1931 Report.



